

Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.

62.65

LIBRARY
RECEIVED
JAN 17 1947
U. S. Department of Agriculture

Wild Native Flowering Plants of Western North Carolina

CONTINUING PRICES TO FALL 1947



RHODODENDRON MAXIMUM

ORNAMENTAL SHRUBS AND TREES

Evergreens, Perennials, Ferns and Vines

THE THREE LAURELS

Madison County

Marshall, N. C.

CULTURE

Rhododendrons, Azaleas, Leucothoe, Kalmia, and many other plants and bulbs are acid soil loving. They should never be given lime in any form. The soil should be rich with decayed vegetable matter such as leaf mold, decayed manure, etc. A mixture of oak leaves and other acid forming material is good. The soil should be deep and porous. Rhododendrons need plenty of moisture yet well drained soil. If the soil is too heavy as in clay soil, lighten with sand and material as above mentioned. Never allow your plants to suffer for water. On receiving them, soak well in water before planting and keep WELL WATERED. We will be glad to answer all questions as to any plant or plants we have which will enable your successful planting and cultivation.

TERMS AND CONDITION OF SALE

Prices are subject to stock on hand F. O. B. our shipping point responsibility ceases after delivery of plants to transportation company in good order. Claims for any cause must be made upon receipt of plants. We do not guarantee that stock will grow, as we do not have control of after treatment or weather conditions. We will be glad to correct all errors made by us.

TERMS cash (check or money order) unless party ordering has an open account with us or satisfactory reference accompany order.

BILLS due and payable 30 days from date of invoice.

Please be sure and give shipping instructions, otherwise we will use our best judgment as to when and how to ship.

Orders shipped as received. First received first shipped.

PRICES QUOTED ARE PER EACH UNLESS OTHERWISE NOTED.

Will be pleased to quote prices on larger sizes and in quantity.

HARDY NATIVE ORCHIDS

| | |
|---|--------|
| APLECTRUM hyemale. ADAM & EVE. Greenish brown fls. | \$.25 |
| CALOPOGON pulchellus. GRASS PINK ORCHID. Pink fls. | .23 |
| CYPRIPEDIUM acaule. PINK LADYSLIPPER | .20 |
| CYPRIPEDIUM pubescens. YELLOW LADYSLIPPER | .20 |
| CYPRIPEDIUM spectabile. SHOWY LADYSLIPPER | .48 |
| HABENARIA ciliaris. YELLOW FRINGE ORCHID | .33 |
| HABENARIA psycodes. PURPLE ORICHARD | .35 |
| ORCHIS spectabilis. SHOWY ORCHID. Purple fls. | .25 |

NATIVE EVERGREEN FERNS

| | |
|--|-----|
| ASPLENIUM platyneuron. Maidenhair Spleenwort | .28 |
| CAMPTOSORUS rhizophyllus. Walking Fern | .34 |
| DRYOPTERIS marginalis. Leather Woodfern | .16 |
| DRYOPTERIS Spinulosa. Toothed Woodfern | .18 |
| LYGODIUM palmatum. Climbing Fern. Nearly evergreen | .34 |
| PELLAEA atropurpurea. Purple Cliff Brake | .34 |
| POLYPODIUM vulgare. Polypody or Rock Fern | .15 |
| POLYSTICHUM achrostichoides. Christmas Fern. Showy | .14 |

NATIVE DECIDUOUS FERNS

| | |
|--|-----|
| ADIANTUM pedatum. Maidenhair Fern. Beautiful | .14 |
| ATHYRIUM filixfemina. Lady Fern. Showy | .19 |
| ATHYRIUM Thelypteroides. Silvery Spleenwort | .20 |
| DENNSTAEDTIA punctilobula. Hayscented fern | .18 |
| DRYOPTERIS goldiana. Goldies Shield fern | .29 |
| DRYOPTERIS spinulosa. Spinulose-wood-fern | .17 |
| OSMUNDA regalis. Royal Fern | .20 |
| PTERETIS nodulosa. Ostrich fern. Ornamental | .19 |
| PTERIDIUM aquilinum. Bracken Fern | .11 |

VINES AND CREEPERS

| | |
|---|-----|
| AMPELOPSIS quinquefolia. Virginia Creeper | .20 |
| AMPELOPSIS arborea. Pepper Vine. Thrifty grower | .18 |
| BIGNONIA capreolata. Evergreen. Redish fls. | .12 |
| BIGNONIA Radicans. Trumpet Creeper. Orange flowers | .12 |
| CELASTRUS arbutifolia. Orange yellow berries | .20 |
| CELASTRUS Scandens. Wax Work. Orange yellow berries | .17 |
| CLEMATIS Crispa. Curley Clematis. Purple fls. | .26 |
| CLEMATIS Virginiana. Virgins Bower White fls. | .17 |
| CREEPING Buttercup. Deep yellow flowers | .17 |
| CREEPING Phlox. Reddish purple flowers | .19 |
| EPIGAEA Repens. Trailing Arbutus. Fragrant white and pink flowers | .25 |
| GALAX Aphylla. Galax. Creamy white flowers | .19 |
| GAUTHIERIA Procumbens. Teaberry. Red edible fruit | .19 |
| HOUSTONIA Serpyllifolia. Creeping bluets. Blue fls. | .28 |
| HALL'S Honeysuckle. Fragrant white to yellow fls. | .18 |
| IRIS Cristata. Crested Iris. Hardy. Blue flowers | .16 |
| IRIS Siberica. Deciduous. Lilac-blue flowers | .38 |
| IRIS Verna. Vernal Iris. Evergreen. Violet-blue flowers | .21 |
| JAPANESE Pachysandra. Evergreen. White Flowers | .24 |
| MITCHELLIA Repens. Partridge berry. Red edible berries | .19 |
| MAYPOW. Showy purple fls. Yellow edible fruit | .25 |
| PHLOX Subulata. Crimson pink flowers | .23 |
| SCARLET Honeysuckle. Red flowers and red berries | .25 |
| SEDUM Telephoides. Liveforever. Evergreen | .21 |
| SEDUM Ternatum. Mt. Stonecup. White flowers | .17 |
| SHORTIA Galacifolia. Oconee-Bells. Rare Evergreen, creamy white fls. | .26 |
| VINCA Minor. Blue Trailing Myrtle. Evergreen | .10 |
| VITIS Aestivalis. Summer grape. Edible fruit | .20 |
| VITIS Cordifolia. Winter grape. Edible fruit | .20 |
| VITIS Rotundifolia. Muscadine. Edible fruit | .25 |

NATIVE VIOLETS

| | |
|---|-----|
| VIOLA Blanda. Sweet White. Fragrant white flowers | .16 |
| VIOLA Canadensis. Canada. White tinged with purple fls. | .16 |
| VIOLA Cucullata. Marsh. Blue flowers all summer | .16 |
| VIOLA Hastata. Creeping Yellow Violet. Yellow fls. | .16 |
| VIOLA Pedata. Bird's Foot. Showy Blue Flowers | .16 |
| VIOLA Pedata Bicolor. Two-color Bird's Foot. Light blue fls. | .16 |
| VIOLA Rotundifolia. Round Leaf. Yellow flowers | .16 |
| VIOLA Sagittata. Arrowleaf. Deep blue flowers | .17 |

AQUATIC PLANTS

| | |
|--|-----|
| CHELONE Glabra. White Turtlehead. White or pink fls. | .16 |
| CHELONE Lyoni. Pink Turtlehead. Red Flowers | .17 |
| CORNUS Canadensis. Bunchberry. Clusters red berries | .44 |
| DIONAEA Muscipula. Venus Flytrap. White flowers | .39 |
| DIPHYLLIA Cymosa. Umbrella leaf. Bunches showy purple fruit | .19 |
| HELENIUM Autumnale. Golden flowers | .17 |
| HEMEROCALLIS Fulva. Tawny Day Lily. Orange flowers | .16 |
| HIBISCUS Moscheutos. Rosemallow. Showy pink flowers | .34 |
| IRIS Pseudacorus. Yellow flag. Bright yellow fls. | .17 |
| IRIS Versicolor. Blue flag. Showy violet-blue fls. | .18 |
| JOE-PYE-WEED. Large purple head of flowers | .17 |
| LOBELIA Cardinalis. Cardinal flower. Bright red flowers | .24 |
| LOBELIA Syphilitica. Blue Lobelia. Large blue fls. | .19 |
| MERTENSIA Virginica. Va. Bluebells. Blue fls. | .25 |
| MONARDA Didyma. Oswego Beebalm. Bright red fls. | .17 |
| SYMPLOCARPUS Foetidus. Skunkcabbage | .25 |
| SARRACENIA Flava. Trumpet Pitcherplant. Large yellow fls. | .31 |
| SARRACENIA Purpurea. Pitcherplant. Red, pink or greenish fls. | .29 |
| SARRACENIA Rubra. Sweet Pitcherplant. Crimson violet scented fls. | .37 |
| TYPHA Latifolia. Cattail. Large brown spikes of fls. | .18 |
| VERATRUM Viride. American Falsehellebore. Flowers dull green clustered | .19 |
| VERONONIA Novboracensis. Ironweed. reddish purple fls. | .17 |

LILIES AND BULBOUS PLANTS

| | |
|--|-----|
| ARISAEMA Triphyllum. Jack-in-the-Pulpit. Greenish white fls. | .15 |
| CONVALLARIA Majalis. Lily-of-the-Valley. White, fragrant fls. | .15 |
| DICENTRA Canadensis. Squirrel corn. White fls. | .16 |
| DICENTRA Cucullaria. Dutchman's Breeches. Yellow-white fls. | .16 |
| DICENTRA Eximia. Fringed Bleeding Heart. Deep rose fls. | .25 |
| HYMENOCALIS Occidentalis. Spider Lily | .25 |
| HEMEROCALIS Flava. Lemon Lily. Orange fls. | .20 |
| LILIUM Canadense. Canada lily. Shades, orange, yellow, red fls. | .25 |
| LILIUM Carolinianum. Carolina Lily. Fragrant. Orange fls. | .38 |
| LILIUM Grayi. Gray's Lily. Reddish fls. | .40 |
| LILIUM Philadelphicum. Orange Cup Lily. Reddish-orange fls. | .23 |
| LILIUM Superbum. American Turk's Cap. Orange fls. | .25 |
| LILIUM Tigrinum. Tiger Lily. Orange fls. | .20 |
| TRILLIUM Cernuum. Nodding Trillium. White or pink | .10 |
| TRILLIUM Erectum. Purple Trillium. Purple | .15 |
| TRILLIUM Erectum Album. Wax Trillium. White | .10 |
| TRILLIUM Grandiflorum. Showy Trillium. White turning rose | .12 |
| TRILLIUM Luteum. Yellow Trillium. Lemon, yellow | .10 |
| TRILLIUM Stylosum. Rose Trillium. Rose-pink | .15 |
| TRILLIUM Undulatum. Painted Trillium. White | .15 |

ORNAMENTAL DECIDUOUS TREES AND SHRUBS

| | |
|---|-----|
| ALL IN ONE TO TWO FEET SIZE UNLESS OTHERWISE SPECIFIED | |
| AMELANCHIER. Serviceberry. White fls. Red edible berries | .40 |
| ACER. Maples: Silver, red, striped and sugar, 2-3 ft. | .35 |
| ACER Negundo. Ash-leaved. Handsome rapid growing | .25 |
| ACANTHOPANAX pentaphyllum. Arching slender branches | .25 |
| AESCULUS Octandra. Sweet Buckeye. Yellow fls. | .21 |
| AILANTHUS glandulosa. Tree of Heaven. Handsome foliage | .25 |
| ALBIZZIA Julibrissin. Mimosa. Fuzzy pink flowers | .25 |
| ALTHAEA. Double red and double violet | .25 |
| ARONIA arbutifolia. Chokeberry. White fls. Bright red berries | .39 |
| ASIMINA TRILOBA. Papaw. Attractive fls. Edible fruit | .18 |
| ARONIA melancocarpa. Chokeberry. White fls. Black berries | .25 |
| ARALIA spinosa. Angelica tree. Ornamental. Bold foliage. 3 ft. | .25 |
| ASIMINA triloba. Papaw. Edible fruit | .25 |
| BENZOIN aestivale. Yellow fls. Red berries. Spicy taste | .30 |
| BERBERIS thunbergi. Yellow fls. Bright red berries | .35 |
| BETULA lenta. Sweet birch. Agreeable aromatic flavor | .20 |
| BETULA Nigra. Red Birch. Bark reddish brown or silvery gray | .20 |
| CALLICARPA americana. Beautyberry. Very handsome | .25 |
| CALYCANTHUS floridus. Dark red fragrant flowers | .15 |
| CARAGANA Arborescens. Pea Tree. Bright yellow flowers | .25 |
| CARPINUS caroliniana. Blue Beech | .15 |
| CEANOTHUS Americanus. Jersey Tea. White flowers | .15 |
| CEPHALANTHUS occ. Attractive white flower heads. Hardy | .22 |
| CATALPA. Indian Bean. Ornamental | .25 |
| CERCIS canadensis. Red bud. Rosy pink flowers, 2-3 ft. | .40 |
| CHIONANTHUS virginica. Fringe Tree. Snowy white fls. 2-3 ft. | .45 |
| CORNUS. Either Red Osier or Silky Dogwood. 2-3 ft. | .35 |
| CORNUS florida. Flowering dogwood. White fls. Red berries | .40 |
| COMPTONIA. Sweetfern. Attractive covering for banks | .25 |
| CELETHRA alnifolia. Sweet pepperbush. White fragrant fls. | .44 |
| CLADRASTIS lutea. Yellowwood. Fragrant white fls. | .25 |
| CYDONIA japonica. Quince. Pink fls. Fragrant fruit | .20 |
| CYTISUS scoparius. Scotch Broom. Many bright yellow fls. | .30 |
| CORYLUS Americana. Hazelnut. A very choice shrub. Edible nuts | .25 |
| CASTANEA pumila. Chinquapin. Fine edible nuts. Dark foliage | .40 |
| ELAEAGNUS angustifolia. Olive. Yellow fls. Yellow fruit | .20 |
| EUONYMUS americana. Green bark and red fruit | .20 |
| FORSYTHIA. Either fortunei, viridissima, spectabilis | .25 |
| FAGUS americana. Beech. Hardy, ornamental and beautiful | .20 |
| FRAXINUS. White or green Ashes. Hardy and ornamental | .20 |
| GINKGO biloba. Maidenhair Tree. Much used for street and park | .35 |
| GLEDITSIA triacanthos. Honey Locust | .15 |
| GLEDITSIA triacanthos inermis. Thornless Honey Locust | .25 |

| | |
|--|-----|
| GYMNOCLADUS dioicus. Ky. Coffee Tree. Greenish white fls. | .18 |
| HALESIA tetraptera. Silverbell. Clusters white bell fls. | .35 |
| HAMAMELIS virginiana. Witch Hazel. Yellow ribbon-like fls. | .36 |
| HYPERICUM prolificum. Bright yellow fls. Hardy | .25 |
| HIBISCUS. Mallow Marvel. Rose-like flowers | .45 |
| ILEX. Verticillata. Winterberry. Bright red berries | .35 |
| ITEA virginica. Sweetspire. Fragrant white fls. 2-3 ft. | .75 |
| JUGLANS cinerea. White Walnut. Good edible nuts | .25 |
| JUGLANS nigra. Black Walnut. Very delicious edible nuts | .20 |
| KOELREUTERIA paniculata. Golden-Rain Tree. Yellow fls. | .40 |
| LIQUIDAMBER styraciflua. Sweet Gum. Ornamental | .25 |
| LIRIODENDRON tulipifera. Tulip Tree. Hardy. Beautiful | .20 |
| LIOSPYROS virginiana. Persimmon. Plum-like edible fruit | .20 |
| MACLURA pomifera. Osage orange. Fine hedge plant | .10 |
| MAGNOLIA acuminata. Cucumber tree. Rosy red fruit | .35 |
| MAGNOLIA tripetala. Umbrella Magbolia. Creamy white fls. rosy fruit .. | .90 |
| MALUS coronaria. Sweet Crab. Fragrant rose fls. and yellow fruit | .45 |
| NYSSA sylvatica. Black Gum. Brilliant autumnal tints | .15 |
| OXYDENDRUM arboreum. Sour-Wood. White fls. Beautiful foliage | .25 |
| PLATANUS occidentalis. Buttonwood. Stately | .25 |
| PRUNUS americana. Plum. Clusters white fls. Edible fruit | .18 |
| PTELEA trifoliata. Hop Tree. Handsome foliage and fruit | .25 |
| PHILADELPHUS coronarius. Sweet Mock Orange. Fragrant white fls. .. | .30 |
| PHILADELPHUS hirsutus. Wild Syringa. Many small white fls. | .25 |
| RHAMNUS caroliniana. Indian Cherry. Fruit red changing to black | .20 |
| RHUS. Either fragrant, shining or smooth Sumac | .15 |
| ROBINIA hispida. Rose Acacia. Rose-colored or pale purple | .25 |
| ROBINIA pseudoacacia. False Asacia. Very fragrant white fls. | .15 |
| RUBUS odoratus. Flowering raspberry. Rosy fls. Edible berries | .25 |
| SALIX. Either Pussy or Golden Willow | .15 |
| SAMBUCUS canadensis. Sweet or summer-flowering elder | .25 |
| STAPHYLEA trifolia. Bladder-nut. White fls. Pod-like nuts | .25 |
| SASSAFRAS varifolium. Desirable for ornamental planting | .15 |
| SYMPHORICARPOS vulgaris. Snowberry. Attractive redish fruit | .25 |
| SYRINGA vulgaris. Common purple Lilac | .15 |
| TILIA americana. Linden. Ornamental, handsome foliage. Hardy | .25 |
| ULMUS americana. Elm. Ornamental. Fine shade tree | .25 |
| ULMUS alta. Winged elm. A handsome tree | .20 |
| VIRBURNUM acerifolium. Maple Viburnum. Yellowish white fls. | .20 |
| VIRBURNUM dentatum. White fls. Blue-black berries | .20 |
| VIRBURNUM lantana. Way-faring tree. White fls. 2-3 ft. | .40 |
| VIRBURNUM nudrum. Yellowish white fls. Dark blue fruit | .25 |
| VIRBURNUM Prunifolium. Black Haw. White fls. Bluish-black fruit | .20 |

NATIVE EVERGREENS

| | |
|---|------|
| ILEX OPACA. Christmas Holly. One of our most beautiful small trees. Bright red berries over winter. Branches with their red berries used for decorative purposes, especially at Christmas time. | |
| 5 to 8 inch seedlings. Strong, per dozen | .75 |
| 1 to 2 ft. Strong plants | .25 |
| 2 to 3 ft. B&B | 1.00 |
| JUNIPERUS. Red Cedar. Fine landscape tree. 1-2 ft. | .25 |
| KALMIA latifolia. Mountain Laurel. Very beautiful and attractive. Rose-colored to white fls. Very prolific. Will grow in shade or sun. Bushy 6 to 12 inches | .25 |
| 8 to 12 in. B&B clumps | .40 |
| 1 to 2 ft. B&B clumps | .75 |
| LEIOPHYLLUM Buxifolium. Box Sand Myrtle. White or pinkish fls. 4-6 inches | .60 |
| LEIOPHYLLUM Buxifolium Prostratum. Border plants, 4-6 in. | .45 |
| LEUCOTHOE Catesbaei. Hardy ornamental plant. White fragrant | |

| | |
|---|------|
| flowers. Sprays used by florist. Does well in shade or open. | |
| 6 to 8 in. seedlings. Strong. Per dozen | .75 |
| 8 to 12 inch clumps | .50 |
| 1 to 2 ft. B&B clumps | .80 |
| PIERIS Floribunda. Clusters of showy white flowers. Very hardy and ornamental, 1 to 2 ft. B&B clumps | 1.50 |
| PINUS strobus. Ornamental and very hardy 6-12 in seedlings | .20 |
| 1 to 2 ft. B&B | .45 |
| TSUGA canadensis. Hemlock. Popular for general planting. Fin efor hedges. Can be trimmed to shape. | |
| 6 to 12 inch seedlings per doz. | .65 |
| 1 to 2 ft. strong | .40 |
| 1 to 2 ft. B&B | .90 |

RHODODENDRONS & AZALEAS

| | |
|--|------|
| RHODODENDRON catawbiense. Many large rose or lilac-purple flowers. Hardy and prolific. Attractive foliage. | |
| 6 to 8 in. good strong plants | .30 |
| 8 to 12 in. good strong plants | .39 |
| 1 to 2 ft. clumps. B&B | 1.48 |
| RHODODENDRON carolinianum. Beautiful pink or rosy-purple flowers. A fairly low shrub. 6 to 8 in. plants | .35 |
| 1 to 2 ft. clumps. B&B | 1.75 |
| RHODODENDRON carolinianum alba. Similiar to above but flowers are white. Prices the same as carolinianum. | |
| RHODODENDRON maximum. Rosebay or Great Laurel. Generally the most planted and used of the native rhododendron. Hardy clusters of rose-colored pinkish white flowers in mid-summer. | |
| 5 to 12 in. strong seedlings, per dozen | .95 |
| 6 to 12 in. bushy plants | .25 |
| 8 to 12 in. clumps B&B | .75 |
| 1 to 2 clumps B&B | .95 |
| Good quality cut back clumps for growing on | .45 |
| AZALEA calendulacea. Flame Azalea. Considered the most attractive and beautiful of the native azaleas. Hardy. Many orange-yellow to orange-red or flame-red flowers in May and June. | |
| 8 to 12 inch strong plants | .20 |
| 12 to 18 inch strong plants | .25 |
| 1 to 2 ft. B&B clumps | .95 |
| 2 to 3 ft. B&B clumps | 1.20 |
| AZALEA nudiflora. Very handsome free flowering shrub, with showy, sweet smelling light pink to deep rose flowers: | |
| 8 to 12 in. strong plants | .25 |
| 12 to 18 in. strong plants | .35 |
| 1 to 2 ft. clumps, B&B | 1.45 |
| AZALEA vaseyi. Pink or rose colored flowers 1 to 2 ft. clumps B&B | 1.25 |
| AZALEA viscosa. Fragrant white flowers 1 to 2 ft. clumpe B&B | 1.25 |

NATIVE HERBACEOUS PERENNIALS

| | |
|---|-----|
| ACONITUM uncinatum, Monkshood. Showy hood-shaped blue fls. | .21 |
| ACTAEA alba. Racemes of white fls. White berries | .17 |
| AQUILEGA canadensis. Red fls. Good rockery plant | .18 |
| ARUNCUS sylvestris. Goat's Beard. White flowers | .19 |
| ASARUM canadensis. Purplish fls. Kidney shaped leaves | .16 |
| ASARUM shuttleworthii. Fragrant green leaves. Evergreen | .17 |
| ASCLEPIAS tuberosa. Showy orange or red fls. Good rockery | .18 |
| AUGUSTIFOLIUM. Blooming Sally. Purplish-pink fls. | .17 |
| BAPTISIA australis. Large Indigo blue fls. | .17 |
| BAPTISIA tinctoria. Showy bright yellow fls. | .25 |
| CAREX fraseri. Evergreen. Whitish spikes fls. | .35 |
| CAULOPHYLLUM thalictroides. Greenish purple flowers | .16 |
| CAMPANULA divaricata. Blue bell-shaped fls. Good rockery | .17 |
| CHAMAELIRIUM luteum. Raceme of white fls. Showy rockery | .19 |
| CIMICIFUGA americana. White fls. | .19 |
| CIMICIFUGA racemosa. Showy white flowers | .17 |
| CEINTONIA borealis. Greenish yellow fls. Glossy green lvs. | .17 |
| CLINTONIA umbellulata. Fragrant white fls. Black berries | .16 |
| DODECATHEON meadia. Showy pink fls. Good ground cover | .19 |
| ERYTHRONIUM americanum. Troutlily. Bright yellow fls. | .12 |
| EUPHORBIA corollata. Clustered white cup shaped fls. | .17 |
| GENTIANA andrewsii. Closed Gentian. Blue to purple fls. | .16 |
| GERANIUM maculatum. Large pink-purple fls. | .15 |
| GILLENIA trifoliata. White or rose-tinted fls. | .17 |
| HEPATICA acutiloba. Evergreen. Lilac-white or pale purple fls. | .19 |
| HEPATICA triloba. Evergreen. White, blue or pinkish fls. | .20 |
| HEUCHERA americana. Clusters of greenish or purplish fls. | .18 |
| HOUSTONIA pupurea. Purple fls. Good in shade or sun | .15 |
| HYDRASTIS canadensis. Golden Seal. Raspberry like head of Frt. | .18 |
| LIATRIS pycnostachya. Long spikes of rose-purple fls. | .24 |
| LIATRIS scariosa. Beautiful shade of rose-purple fls. | .24 |
| NARCISSUS. Daffodil. Assorted. Yellow flowers | .15 |
| PANAX quinquefolium. Bright red berries. Hardy | .20 |
| PHLOX divaricata. Spreading clusters of Lilac-purple fls. | .18 |
| PODOPHYLLUM peltatum. Wild leamon. Nodding white wax like cup fls. | .15 |
| PHLOX Amoena. Numerous pink fls. | .25 |
| POLYGONATUM biflorum. Yellowish. bell shaped fls. | .15 |
| SANGUINARIA canadensis. Blood red roots. White fls. | .15 |
| SILENE virginica. Firepink. Crimson or scarlet fls. | .18 |
| STOKESIA leavis. Blue or white China Aster like fls. | .21 |
| SMILACINA racemosa. Greenish-white fls. Red speckled berries | .15 |
| STENANTHIUM. Featherfleece. Ornamental. Delicate white fls. | .19 |
| THERMOPSIS caroliniana. Showy racemes large yellow fls. | .23 |
| TIARELLA cordifolia. Foam Flower. Handsome. Heads white fls. | .17 |
| TRADESCANTIA virginiana. Showy blue fls. Ribbon-like foliage | .17 |
| UVULARIA. Either big, little or wood Merrybells. Yellow fls. | .16 |
| VERONICA VIRGINICA. Many white or pale blue fls. | .17 |
| XEROPHYLLUM asphodeloides. Evergreen. Long spikes, white fls. | .25 |
| YUCCA filamentosa. Adam's Needle. Heads of showy white fls. | .25 |

NATIVE BERRY PLANTS

| | |
|---|-----|
| BLACKBERRY. Very good for canning. Medium size berries | .08 |
| DEWBERRY. Very productive. Medium size berries. Edible | .05 |
| HUCKLEBERRY. Blueberry. Very sweet and edible. Div. | .10 |
| RASPBERRY. Blackcap. Vigorous and very productive. Edible | .10 |

REPORT OF THE COMMISSIONER OF THE GENERAL LAND OFFICE

For the year ending 31st March 1900

The following is a summary of the work done by the General Land Office during the year ending 31st March 1900. The work has been carried out in accordance with the provisions of the Land Act, 1897, and the Land Regulations, 1898.

The work has been divided into three main parts: (1) the work done in connection with the sale of land, (2) the work done in connection with the lease of land, and (3) the work done in connection with the management of the land.

(1) The work done in connection with the sale of land. The total area of land sold during the year was 1,234 acres, and the total amount realized was £12,345. The land was sold in accordance with the provisions of the Land Act, 1897, and the Land Regulations, 1898.

(2) The work done in connection with the lease of land. The total area of land leased during the year was 5,678 acres, and the total amount realized was £5,678. The land was leased in accordance with the provisions of the Land Act, 1897, and the Land Regulations, 1898.

(3) The work done in connection with the management of the land. The total area of land managed during the year was 10,912 acres, and the total amount realized was £10,912. The land was managed in accordance with the provisions of the Land Act, 1897, and the Land Regulations, 1898.

The work done during the year has been carried out in accordance with the provisions of the Land Act, 1897, and the Land Regulations, 1898, and has resulted in the realization of a total amount of £28,935.

